

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	73	((PCI (peripheral near2 component near2 interconnect\$3)) with (express\$3 or accerlat\$3 or faster)) same ((pointer\$3 or indicat\$3) with (location or region or area or address\$3 or spac\$3 or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/10 16:19
L2	1737	((hub or control\$4 or logic or device) same (register or buffer\$4 or storage or directory or queue or fifo or table)) same ((address\$3 or data) with (location or spac\$3 or area\$3 or region)) same (PCI (peripheral near2 component near3 interconnect\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/10 16:11
L3	2	((re-configurat\$3 configurat\$3 reconfigurat\$3) with (register or buffer\$3 or table or storage or queue or directory) with (location or space or address\$3 or region)) and 1 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/10 16:14
L4	14	((re-configurat\$3 configurat\$3 reconfigurat\$3) with (register or buffer\$3 or table or storage or queue or directory) with (location or space or address\$3 or region)) and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/10 16:20
L5	10	((size or value or quantit\$4 or length or width or amount or volume or capacity) with (match\$3 determin\$4 equal\$3 "SAME")) and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/10 16:20
L6	1028	((PCI (peripheral near2 component near2 interconnect\$3)) with (express\$3 or accerlat\$3 or faster)) and ((pointer\$3 or indicat\$3) with (location or region or area or address\$3 or spac\$3 or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/10 16:19
L7	141	((re-configurat\$3 configurat\$3 reconfigurat\$3) with (register or buffer\$3 or table or storage or queue or directory) with (location or space or address\$3 or region)) and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/10 16:20
L8	92	((size or value or quantit\$4 or length or width or amount or volume or capacity) with (match\$3 determin\$4 equal\$3 "SAME")) and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/10 16:20
L9	12	((start\$3 near4 address\$3) same offset) and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/10 16:27

L10	39	(@pn<"20031230") and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/10 16:27
-----	----	------------------------	---	----	----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3225	(pci (peripheral near2 component near3 interconnect\$4)) same (pointer or point\$3 or indicat\$3 or direct\$4) same (size or capacity or volume or amount length or width or quantity or capacit\$4 or quantit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/10 10:52
L2	125	((("8" or "12") near3 bit) same (PCI (peripheral near2 component near2 interconnect\$3))) same L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/10 10:17
L3	968	(pci (peripheral near2 component near3 interconnect\$4)) same (express\$3 or direct\$3 or accerlat\$3) same ((data address) with (space or location or region or area))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/10 10:54
L4	677	((look\$3 or search\$3 or scan\$4 or select\$3 or determin\$4 or locat\$3) with (data or address) or (space location region area)) same (offset bit byte)) and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/10 10:57
L5	231	((look\$3 or search\$3 or scan\$4 or select\$3 or determin\$4 or locat\$3) with (data or address) or (space location region area)) same ((add\$3 or additional) with (offset bit byte))) and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/10 10:58
L6	180	(@pn<"20031230") and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/10 10:58
L7	82	("711"/\$.ccls. or "710"/\$.ccls.) and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/10 10:59